

<https://dabar.srce.hr/user/profile/mbz/248856>

Vrijeme izvoza: 05.06.2024. 12:52:18

Repozitorij: dabar.srce.hr

Ukupan broj zapisa na URL-u: 250

Broj izvezenih zapisa: 100

| Naslov | URL | Autori | Naslov izvornika |
|---|-----|--|------------------|
| Scalable data processing model of the ALICE experiment in the cloud | | Lončar, Petra | |
| Upravljanje prostorno-vremenskim podacima povezivanjem grafičkih i kartografskih prikaza | | Ivanković, Damir | |
| Constraining hadronization mechanisms with + c /D0 production ratios in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Vicković, Linda; Zurlo, N. | |
| Dielectron production at midrapidity at low transverse momentum in peripheral and semi- peripheral Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Vicković, Linda; Zurlo, N. | |
| Organizacija računalnog sustava unutar AWS oblaka | | Žarković, Lorena | |
| Razvoj aplikacije za praćenje darivanja krvi korištenjem MongoDB i programskog jezika Python | | Kunac, Matea | |
| Razvoj web aplikacija u React.js okviru | | Prović, Korina | |
| Monitoring the state of health of the pipes of a water distribution network using machine learning algorithms | | Čmrlec, Marta | |
| Aplikacija za vođenje usluga servisa elektroničkih uređaja | | Bradarić, Domagoj | |
| Razvoj web platforme za automatizaciju edukacijskih procesa | | Vidović, Duje | |
| Arhitektura i funkcionalnosti EBS komponenti | | Barać, Zrinka | |
| Izrada aplikacije upravljanja knjižnicom u Java programskoj okolini | | Pehar, Ivan | |

| | | | |
|---|--|--|--|
| Hypertriton Production in p-Pb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Vicković, Linda; Zurlo, N. | |
| Polarization of Λ and Λ^- Hyperons along the Beam Direction in Pb-Pb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Vicković, Linda; Zurlo, N. | |
| Production of $K^*(892)0$ and $\phi(1020)$ in pp and Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Vicković, Linda; Zurlo, N. | |
| Razvoj REST API-a za rezervaciju termina u telekomunikacijskim uslugama primjenom Spring Boot tehnologije | | Tandara, Frano Josip | |
| Usporedba MySQL i PostgreSQL sustava baza podataka | | Ilić, Ivona | |
| Usporedba Kotlin i Java programskog jezika | | Rađa, Hrvoje | |
| Kontejnerizacija pozadinskih aplikacija primjenom Docker tehnologije | | Crnogorac, Luka | |
| Usporedba korištenja različitih vrsta računalnih resursa za simulaciju neuronskih mreža | | Rančić, Luka | |
| Azimuthal correlations of prompt D mesons with charged particles in pp and p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| J/ψ elliptic and triangular flow in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Measurement of isolated photon-hadron correlations in $\sqrt{s_{NN}} = 5.02$ TeV pp and p-Pb collisions | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Measurement of the Low-Energy Antideuteron Inelastic Cross Section | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| (Anti-)deuteron production in pp collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |

| | | | |
|--|--|--|--|
| J/ψ production as a function of charged-particle multiplicity in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Constraining the Chiral Magnetic Effect with charge-dependent azimuthal correlations in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Z-boson production in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ and Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, D.; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of π , K, and p production in pp collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Measurement of nuclear effects on $\psi(2S)$ production in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Non-linear flow modes of identified particles in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Coherent photoproduction of ρ^0 vector mesons in ultra-peripheral Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Higher harmonic non-linear flow modes of charged hadrons in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Centrality and transverse momentum dependence of inclusive J/ψ production at midrapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Dielectron production in proton-proton and proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |

| | | | |
|---|--|--|--|
| Elliptic and triangular flow of (anti)deuterons in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Evidence of Spin-Orbital Angular Momentum Interactions in Relativistic Heavy-Ion Collisions | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Evidence of rescattering effect in Pb-Pb collisions at the LHC through production of $K^*(892)^0$ and $\phi(1020)$ mesons | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Exploration of jet substructure using iterative declustering in pp and Pb-Pb collisions at LHC energies | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Global baryon number conservation encoded in net-proton fluctuations measured in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, A.; Vicković, Linda; Zurlo, N. | |
| Global polarization of Λ and $\bar{\Lambda}$ and hyperons in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ and 5.02 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Investigation of the p - Σ^0 interaction via femtoscopy in pp collisions | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Jet-hadron correlations measured relative to the second order event plane in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| $K^*(892)^0$ and $\phi(1020)$ production at midrapidity in pp collisions at $\sqrt{s} = 8$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Longitudinal and azimuthal evolution of two-particle transverse momentum correlations in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |

| | | | |
|--|--|--|--|
| Measurement of electrons from heavy-flavour hadron decays as a function of multiplicity in p-Pb collisions at $\sqrt{s_{NN}}= 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of electrons from semileptonic heavy-flavour hadron decays at midrapidity in pp and Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of strange baryon-antibaryon interactions with femtosopic correlations | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of the (anti-)3He elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of $\Lambda(1520)$ production in pp collisions at $\sqrt{s} = 7$ TeV and p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurements of inclusive jet spectra in pp and central Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of (multi-)strange hadron production in proton-proton collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of $K^*(892)^0$ and $\phi(1020)$ production in pp collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, A.; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of inclusive J/ψ production at midrapidity in pp collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, D.; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of light (anti-)nuclei production in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |

| | | | |
|---|--|--|--|
| Probing the Effects of Strong Electromagnetic Fields with Charge-Dependent Directed Flow in Pb-Pb Collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Production of (anti-)3He and (anti-)3H in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Production of charged pions, kaons, and (anti-)protons in Pb-Pb and inelastic pp collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Production of ω mesons in pp collisions at $\sqrt{s_{NN}} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Scattering Studies with Low-Energy Kaon-Proton Femtoscopy in Proton-Proton Collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Search for a common baryon source in high-multiplicity pp collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Studies of J/ψ production at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Underlying event properties in pp collisions at $\sqrt{s} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Unveiling the strong interaction among hadrons at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Karatović, David; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zurlo, N. | |
| Υ production in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, A.; Vicković, Linda; Zurlo, N. | |

| | | | |
|---|--|--|--|
| Analysis of the apparent nuclear modification in peripheral Pb-Pb collisions at 5.02 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Azimuthal Anisotropy of Heavy-Flavor Decay Electrons in p-Pb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Calibration of the photon spectrometer PHOS of the ALICE experiment | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Centrality and pseudorapidity dependence of the charged-particle multiplicity density in Xe-Xe collisions at $\sqrt{s_{NN}} = 5.44$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Charged jet cross section and fragmentation in proton-proton collisions at $\sqrt{s} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Charged-particle production as a function of multiplicity and transverse sphericity in pp collisions at $\sqrt{s} = 5.02$ and 13 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Charged-particle pseudorapidity density at mid-rapidity in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Coherent J/ψ photoproduction at forward rapidity in ultra-peripheral Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Dielectron and heavy-quark production in inelastic and high-multiplicity proton-proton collisions at $\sqrt{s_{NN}} = 13$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Direct photon elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |

| | | | |
|--|--|---|--|
| Direct photon production at low transverse momentum in proton-proton collisions at $\sqrt{s}=2.76$ and 8 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Energy dependence of exclusive J/ψ photoproduction off protons in ultra-peripheral p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Event-shape and multiplicity dependence of freeze-out radii in pp collisions at $\sqrt{s} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zinovjev, G. | |
| Event-shape engineering for the D-meson elliptic flow in mid-central Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zinovjev, G. | |
| First Observation of an Attractive Interaction between a Proton and a Cascade Baryon | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| H-3(Λ) and $(\bar{3})(\bar{\Lambda})(\bar{H})$ lifetime measurement in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV via two-body decay | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Inclusive J/ψ production at mid-rapidity in pp collisions at $\sqrt{s}= 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Investigations of Anisotropic Flow Using Multiparticle Azimuthal Correlations in pp,p-Pb, Xe-Xe, and Pb-Pb Collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of D^0 , D^+ , D^{*+} and D_s^+ production in pp collisions at $\sqrt{s}=5.02$ TeV with ALICE | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of charged jet cross section in pp collisions at $\sqrt{s}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |

| | | | |
|--|--|--|--|
| Measurement of dielectron production in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Measurement of jet radial profiles in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of prompt D0, D+, D*+, and D+S production in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of the inclusive isolated photon production cross section in pp collisions at $\sqrt{s}=7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of the production of charm jets tagged with D0 mesons in pp collisions at $\sqrt{s}=7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measurement of Y(1S) Elliptic Flow at Forward Rapidity in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Measuring K0SK± interactions using pp collisions at $\sqrt{s}=7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Multiplicity dependence of (anti-)deuteron production in pp collisions at $\sqrt{s}=7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Multiplicity dependence of light-flavor hadron production in pp collisions at $\sqrt{s} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| One-dimensional charged kaon femtoscopy in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |

| | | | |
|---|--|--|--|
| Production of muons from heavy-flavour hadron decays in pp collisions at $\sqrt{s} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Production of the $\rho(770)0$ meson in pp and Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Relative particle yield fluctuations in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Study of J/ψ azimuthal anisotropy at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Study of the Lambda-Lambda interaction with femtoscopy correlations in pp and p-Pb collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Transverse momentum spectra and nuclear modification factors of charged particles in Xe-Xe collisions at $\sqrt{s_{NN}} = 5.44$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Two-particle differential transverse momentum and number density correlations in p-Pb collisions at 5.02 TeV and Pb-Pb collisions at 2.76 TeV at the CERN Large Hadron Collider | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Λ_c^+ production in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Utrobičić, Antonija; Vicković, Linda; Zurlo, N. | |
| Υ suppression at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Anisotropic flow in Xe-Xe collisions at $\sqrt{s_{NN}} = 5.44$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |

| | | | |
|--|--|--|--|
| Constraining the magnitude of the Chiral Magnetic Effect with Event Shape Engineering in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Constraints on jet quenching in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV measured by the event-activity dependence of semi-inclusive hadron-jet distributions | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| D-Meson Azimuthal Anisotropy in Midcentral Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Energy dependence and fluctuations of anisotropic flow in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ and 2.76 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| First measurement of jet mass in Pb-Pb and p-Pb collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| First measurement of Ξ^0_c production in pp collisions at $\sqrt{s} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Inclusive J/ψ production at forward and backward rapidity in p-Pb collisions at $\sqrt{s_{NN}} = 8.16$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| J/ψ production as a function of charged-particle pseudorapidity density in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Adamova, D.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Longitudinal asymmetry and its effect on pseudorapidity distributions in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Measurement of Z^0 -boson production at large rapidities in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |

| | | | |
|--|--|--|--|
| Measurement of the inclusive J/ψ polarization at forward rapidity in pp collisions at $\sqrt{s}=8$ TeV. | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Neutral pion and η meson production in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Production of 4He and 4He^- in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Production of deuterons, tritons, 3He nuclei, and their antinuclei in pp collisions at $\sqrt{s} = 0.9, 2.76,$ and 7 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Prompt and non-prompt J/ψ production and nuclear modification at mid-rapidity in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Search for collectivity with azimuthal J/ψ -hadron correlations in high multiplicity p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ and 8.16 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Systematic studies of correlations between different order flow harmonics in Pb-Pb collisions at $\sqrt{s_{NN}}= 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| The ALICE Transition Radiation Detector: Construction, operation, and performance | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| $\Lambda+c$ production in pp collisions at $\sqrt{s}=7$ TeV and in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| π^0 and η meson production in proton-proton collisions at $\sqrt{s}=8$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |

| | | | |
|--|--|---|--|
| ϕ meson production at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Centrality dependence of the pseudorapidity density distribution for charged particles in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, P.; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Addendum to: Centrality dependence of high-pT D- meson suppression in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Anomalous Evolution of the Near-Side Jet Peak Shape in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Azimuthally Differential Pion Femtoscopy in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adamova, D.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, P.; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Charged-particle multiplicities in proton-proton collisions at $\sqrt{s} = 0.9$ to 8 TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Charged-particle multiplicity distributions over a wide pseudorapidity range in proton- proton collisions at $\sqrt{s} = 0.9, 7, \text{ and } 8$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, P.; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Determination of the event collision time with the ALICE detector at the LHC | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Energy dependence of forward-rapidity J/Psi and Psi(2S) production in pp collisions at the LHC | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Enhanced production of multi-strange hadrons in high-multiplicity proton-proton collisions | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|--|--|
| Erratum to: Production of π^0 and η mesons up to high transverse momentum in pp collisions at 2.76 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Evolution of the longitudinal and azimuthal structure of the near-side jet peak in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Flow Dominance and Factorization of Transverse Momentum Correlations in Pb-Pb Collisions at the LHC | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Insight into particle production mechanisms via angular correlations of identified particles in pp collisions at $\sqrt{s}=7$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| J/ψ suppression at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Kaon femtoscopy in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| $K^*(892)^0$ and $\phi(1020)$ meson production at high transverse momentum in pp and Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Linear and non-linear flow mode in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Measurement of D-meson production at mid-rapidity in pp collisions at $\sqrt{s} = 7$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Measurement of azimuthal correlations of D mesons with charged particles in pp collisions at $\sqrt{s} = 7$ TeV and p--Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|--|--|
| Measurement of deuteron spectra and elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Measurement of electrons from beauty-hadron decays in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV and Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Measurement of the production of high- p_T electrons from heavy-flavour hadron decays in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Measuring K^0S^{\pm} interactions using Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| Production of muons from heavy-flavour hadron decays in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Production of $\Sigma(1385)^{\pm}$ and $\Xi(1530)^0$ in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Adamova, D.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Production of π^0 and η mesons up to high transverse momentum in pp collisions at 2.76 TeV | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Searches for transverse momentum dependent flow vector fluctuations in Pb-Pb and p-Pb collisions at the LHC | | Acharya, S.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Jerčić, Marko; Lončar, Petra; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zou, S. | |
| W and Z boson production in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| ϕ -Meson production at forward rapidity in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV and in pp collisions at $\sqrt{s} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|---|--|---|--|
| 3A ⁺ H and 3A ⁻ H ⁻ production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Anisotropic flow of charged particles in Pb-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Azimuthal anisotropy of charged jet production in $\sqrt{s_{NN}} = 2.76$ TeV Pb-Pb collisions | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality Dependence of the Charged-Particle Multiplicity Density at Midrapidity in Pb-Pb Collisions at $\sqrt{s_{NN}}=5.02$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of charged jet production in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of the charged-particle multiplicity density at mid-rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of the nuclear modification factor of charged pions, kaons, and protons in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of $\psi(2S)$ suppression in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality evolution of the charged-particle pseudorapidity density over a broad pseudorapidity range in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality evolution of the charged-particle pseudorapidity density over a broad pseudorapidity range in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|---|--|
| Charge-dependent flow and the search for the Chiral Magnetic Wave in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Correlated event-by-event fluctuations of flow harmonics in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Gotovac, Sven; Erhardt, Filip; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| D-meson production in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV and in pp collisions at $\sqrt{s}=7$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Differential studies of inclusive J/ψ and $\psi(2S)$ production at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Direct photon production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Elliptic flow of electrons from heavy-flavour hadron decays at mid-rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Elliptic flow of muons from heavy-flavour hadron decays at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Event shape engineering for inclusive spectra and elliptic flow in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Forward-central two-particle correlations in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Higher harmonic flow coefficients of identified hadrons in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|---|--|
| Inclusive quarkonium production at forward rapidity in pp collisions at $\sqrt{s}=8$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Jet-like correlations with neutral pion triggers in pp and central Pb-Pb collisions at 2.76 TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zmeskal, J. | |
| Measurement of D+s production and nuclear modification factor in Pb-Pb collisions at $\sqrt{sNN}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of D-meson production versus multiplicity in p-Pb collisions at $\sqrt{sNN}=5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of an excess in the yield of J/ψ at very low p_T in Pb-Pb collisions at $\sqrt{sNN} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of electrons from heavy-flavour hadron decays in p-Pb collisions at $\sqrt{sNN} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of transverse energy at midrapidity in Pb-Pb collisions at $\sqrt{sNN}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Šimatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Multi-strange baryon production in p-Pb collisions at $\sqrt{sNN}=5.02$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Multipion Bose-Einstein correlations in pp, p-Pb, and Pb-Pb collisions at the LHC | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Multiplicity and transverse momentum evolution of charge-dependent correlations in pp, p-Pb, and Pb-Pb collisions at the LHC | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|---|--|
| Multiplicity dependence of charged pion, kaon, and (anti)proton production at large transverse momentum in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Particle identification in ALICE : a Bayesian approach | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Production of $K^*(892)^0$ and $\phi(1020)$ in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Production of light nuclei and anti-nuclei in pp and Pb-Pb collisions at energies available at the CERN Large Hadron Collider | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Pseudorapidity and transverse-momentum distributions of charged particles in proton- proton collisions at $\sqrt{s} = 13$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Pseudorapidity dependence of the anisotropic flow of charged particles in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Search for weakly decaying Λ_n and $\Lambda\Lambda$ exotic bound states in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Study of cosmic ray events with high muon multiplicity using the ALICE detector at the CERN Large Hadron Collider | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Transverse momentum dependence of D-meson production in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of high-pT D meson suppression in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|---|--|
| Centrality dependence of inclusive J/ψ production in p-Pb collisions at $\sqrt{s_{NN}}=5.02\text{TeV}$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of particle production in p-Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ | | Adam, J.; Antičić, Tome; Gotovac, Sven; Grossiord, J. Y.; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Charged jet cross sections and properties in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, L.; Zyzak, M. | |
| Coherent ρ^0 photoproduction in ultra-peripheral Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Coherent $\psi(2S)$ photo-production in ultra-peripheral Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Elliptic flow of identified hadrons in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ | | Abelev, B.; Antičić, Tome; Gotovac, Siniša; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Forward-backward multiplicity correlations in pp collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV | | Adam, J.; Antičić, Tome; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Inclusive photon production at forward rapidities in proton-proton collisions at $\sqrt{s} = 0.9, 2.76$ and 7 TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zyzak, M. | |
| Inclusive, prompt and non-prompt J/ψ production at mid-rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| $K^*(892)^0$ and $\phi(1020)$ production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Measurement of charged jet production cross sections and nuclear modification in p-Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|---|--|---|--|
| Measurement of charm and beauty production at central rapidity versus charged-particle multiplicity in proton-proton collisions at $\sqrt{s} = 7$ TeV | | Adam, J.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of dijet kT in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of electrons from semileptonic heavy-flavor hadron decays in pp collisions at $\sqrt{s}=2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Measurement of jet quenching with semi-inclusive hadron-jet distributions in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of jet suppression in central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Measurement of pion, kaon and proton production in proton-proton collisions at $\sqrt{s} = 7$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Multiplicity dependence of jet-like two-particle correlation structures in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zyzak, M. | |
| One-dimensional pion, kaon, and proton femtoscopy in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Production of inclusive $\Upsilon(1S)$ and $\Upsilon(2S)$ in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zyzak, M. | |
| Production of $\Sigma(1385)^\pm$ and $\Xi(1530)^0$ in proton-proton collisions at $\sqrt{s} = 7$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Vicković, Linda; Zyzak, M. | |
| Rapidity and transverse-momentum dependence of the inclusive J/ψ nuclear modification factor in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |

| | | | |
|---|--|---|--|
| Two-pion femtoscopy in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Adam, J.; Antičić, Tome; Erhardt, Filip; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Utrobičić, Antonija; Vicković, Linda; Zyzak, M. | |
| Azimuthal anisotropy of D-meson production in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Beauty production in pp collisions at $\sqrt{s} = 2.76$ TeV measured via semi-electronic decays | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Centrality, rapidity and transverse momentum dependence of J/ψ suppression in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Event-by-event mean p_T fluctuations in pp and Pb-Pb collisions at the LHC | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Šimatović, Goran; Vicković, Linda; Zyzak, M. | |
| Exclusive J/ψ Photoproduction off Protons in Ultrapерipheral p-Pb Collisions $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Freeze-out radii extracted from three-pion cumulants in pp, p-Pb and Pb-Pb collisions at the LHC | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| J/ψ production and nuclear effects in p-Pb collisions at $\sqrt{s}=5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Measurement of Prompt D-Meson Production in p-Pb Collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Measurement of charged jet suppression in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Measurement of quarkonium production at forward rapidity in pp collisions at $\sqrt{s} = 7$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |

| | | | |
|---|--|---|--|
| Measurement of visible cross sections in proton-lead collisions at $\sqrt{s_{NN}} = 5.02$ TeV in van der Meer scans with the ALICE detector | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Multi-strange baryon production at mid-rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Multiparticle azimuthal correlations in p-Pb and Pb-Pb collisions at the CERN Large Hadron Collider | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Multiplicity dependence of pion, kaon, proton and lambda production in p-Pb collisions at $\sqrt{s_{NN}}=5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Neutral pion production at midrapidity in pp and Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Performance of the ALICE experiment at the CERN LHC | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Production of charged pions, kaons and protons at large transverse momenta in pp and Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Suppression of $\Upsilon(1S)$ at forward rapidity in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Suppression of $\psi(2S)$ production in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Technical Design Report for the Upgrade of the ALICE Inner Tracking System | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Transverse momentum dependence of inclusive primary charged-particle production in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |

| | | | |
|--|--|---|--|
| Two- and three-pion quantum statistics correlations in Pb-Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV at the CERN Large Hadron Collider | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Upgrade of the ALICE Experiment: Letter Of Intent | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of the pseudorapidity density distribution for charged particles in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Centrality dependence of π , K, and p production in Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Centrality determination of Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with ALICE | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| D meson elliptic flow in non-central Pb-Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Directed Flow of Charged Particles at Midrapidity Relative to the Spectator Plane in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| J/ψ Elliptic Flow in Pb-Pb Collisions at $\sqrt{s_{NN}} = 2.76$ TeV | | Abbas, E.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Long-range angular correlations of π , K and p in p-Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Multiplicity dependence of the average transverse momentum in pp, p-Pb, and Pb-Pb collisions at the LHC | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |
| Multiplicity dependence of two-particle azimuthal correlations in pp collisions at the LHC | | Abelev, B.; Antičić, Tome; Gotovac, Sven; Mudnić, Eugen; Planinić, Mirko; Poljak, Nikola; Simatović, Goran; Šuša, Tatjana; Vicković, Linda; Zyzak, M. | |